



ANSI AGRICULTURAL CHAIN



Chain No.	Pitch x Width		Roller	Pin			Link				Avg. Ulti. Tensile Strength	Approx. Weight
	P x E		D1	C	B	D2	T1	T2	H	F2		
	inch	mm	mm	mm	mm	mm	mm	mm	mm	mm		
CA550	1.630 x 0.750	41.40 x 19.05	16.86	17.58	21.08	7.19	2.75	2.75	25.91	20.17	6,150	1.87
CA555	1.630 x 0.490	41.40 x 12.45	16.86	15.05	18.60	7.19	3.18	3.18	19.18	20.17	6,200	1.80
CA557	1.630 x 0.758	41.40 x 19.25	18.03	18.17	21.77	8.03	3.18	3.18	26.21	23.37	7,500	2.41
CA620	1.654 x 0.965	42.01 x 24.51	17.91	20.78	24.08	7.19	3.18	3.18	31.60	20.17	6,200	2.33
CA550HD	1.630 x 0.750	41.40 x 19.05	16.86	18.17	21.77	8.03	3.18	3.18	26.21	20.17	7,000	2.10
CA627	1.181 x 0.748	30.00 x 19.00	15.88	18.11	21.11	8.28	3.00	3.00	25.45	20.50	5,650	2.51

- 1. Chrome plated pins are available for all sizes
- 2. A-type side plates are available upon request
- 3. For size CA550, CA555, CA620 and CA627, embossed side plates are available


CA550 ATTACHMENTS




Attachment	A1	A2	F3	D3	G	T
	mm	mm	mm	mm	mm	mm
A1	37.70	25.40	22.22	6.75	10.72	2.75
K1	37.70	25.40	22.22	6.75	10.72	2.75
	37.70	27.00	22.22	9.00		
A19	35.30	25.40	22.22	6.75	12.70	2.75
K25	35.30	25.40	22.22	8.33	12.70	2.75
K29	35.30	25.40	22.22	9.92	12.70	2.75
AK3	34.20	25.40	25.40	8.33	16.51	3.18

A19 and K25 are available on inner links

CA550 ATTACHMENTS




Attachment	A1 mm	A2 mm	F3 mm	D3 mm	G mm	T mm
SK0	30.60	-	22.22	-	-	2.75
A4	52.39	36.91	38.10	10.32	15.88	4.50



Attachment	A1 mm	A2 mm	F3 mm	D3 mm	G mm	T mm	M mm	D4 mm
K39M	35.72	25.40	29.50	9.78	12.70	2.75	-	-
AA3	40.25	31.95	30.00	8.20	-	3.18	30.20	10.00


CA550 ATTACHMENTS



Attachment	A1 mm	A2 mm	A3 mm	N mm	D3 mm	T mm	R degree
GD21	42.46	31.75	8.33	20.24	8.33	2.75	-
F4	34.15	23.81	30.90	42.90	8.33	2.75	-
F1HVV	47.63	30.99	19.05	35.26	6.73	2.75	45°
F14	52.39	39.69	15.88	31.75	8.33	2.75	57°
F17	70.98	57.15	20.57	40.89	9.91	2.75	60°

Other attachment styles available upon request


CA550 ATTACHMENTS




Chain No.	N mm	T mm	R deg
C5E	59.00	3.18	15°
C11E	63.50	2.75	15°
C21E	92.07	2.75	16°
C17E	76.20	2.75	15°
CPE	64.70	2.75	20°

Other attachment styles available upon request

Attachment	L mm	D mm
D1	38.10	11.11
	41.28	12.70
	50.80	12.70




CA555 ATTACHMENTS



Attachment	T mm	D3 mm	C mm	N mm	R deg
C3E	3.18	5.99	19.05	60.27	15°
C6E	3.18	-	-	63.50	15°
	3.18	5.99	25.40	66.12	15°

All pin link plates embossed


CA627 ATTACHMENT



Attachment	N mm	D3 mm	C mm	T mm	R deg
M32	63.25	6.50	25.50	3.00	15°


All pin link plates embossed
Other attachment styles available upon request

CA557 ATTACHMENTS




Attachment	A1 mm	A2 mm	F3 mm	D3 mm	G mm	T mm
A4	52.39	36.91	38.10	10.20	15.88	4.50
A19(A29S)	36.07	25.40	28.58	7.14	14.27	3.18


CA557 ATTACHMENTS



Attachment	A1 mm	A2 mm	F3 mm	D3 mm	G mm	T mm
AK6	37.20	27.00	25.66	10.44	16.51	3.18




Attachment	A1 mm	A2 mm	F3 mm	D3 mm	G mm	T mm	M mm	S1 mm
K35	36.75	25.40	22.00	8.72	13.97	3.18		
K35M				10.31				
K39M	35.72	25.40	29.50	9.78	12.70	3.18		-
K39M2				10.00				
AA3(U16)	43.29	31.90	31.06	8.20	-	3.18	30.20	9.73



Attachment	A1 mm	A2 mm	A3 mm	N mm	D3 mm	T mm	R degree
F14	52.39	39.69	15.88	31.75	8.33	3.18	57°

Other Attachment styles available upon request


CA620 ATTACHMENTS



Attachment	A1 mm	A2 mm	F3 mm	D3 mm	G mm	T mm	C mm	N mm	R degree
A4	55.95	41.40	58.00	10.00	14.35	3.18			
K1	40.08	31.35	22.23	6.75 8.33	11.51	3.18	-	-	-
C6E	-	-	-	5.99	-	3.18	24.00	66.00	15°

Other attachment styles available upon request

CA550HD ATTACHMENTS




Attachment	A1 mm	A2 mm	A3 mm	N mm	D3 mm	T mm	R degree
F15	100.95	66.65	52.4	102.3	9.90	3.18	40°

Other attachment styles available upon request


C2060H AGRICULTURAL CHAIN

ATTACHMENTS



Chain No.	Pitch x Width		Roller	Pin	Link		Attachment			
	P x E		D1	D2	T	F	D3	B	N	R
	inch	mm	mm	mm	mm	mm	mm	mm	mm	degree
C2060H-C6E	1-1/2 x 1/2	38.10 x 12.70	11.91	5.96	3.18	18.09	-	-	63.5	22.5°
C2060H-C5E	1-1/2 x 1/2	38.10 x 12.70	11.91	5.96	3.18	18.09	-	-	57.2	22.5°
C2060H-7AUE	1-1/2 x 1/2	38.10 x 12.70	11.91	5.96	3.18	18.09	8.5	30	57.2	22.5°

Embossed side plates available



Attachment	A1	A2	F3	D3	G	T
	mm	mm	mm	mm	mm	mm
K39M	35.72	25.40	30.00	9.78	12.70	3.18

Other attachment styles available upon request